



QTR Qualification Test Record

QTR No.: IS-SH-416998-25-001

Web page: <http://www.wingtu.com>

Reference standard: NORSOK M-650 edition 4

Material designation: A515/A240/A240M-304/304L

and MDS No.: EN10028-7, 1.4301 / 1.4307; EN10088-2, 1.4301 / 1.4307

Manufacturing Summary Doc. No.: ZZGY-KJ-B01

Rev. A/0

Products and manufacturing process: Strips

Mandate: Request for qualification testing of Strip Test Nickel Industry Co., Ltd.

verification report of Heat Treatment Procedure: QT/M650/001;
EN10204 type 3.2 certificate no.: QT20250605001, QT20250605002,
Evaluation report for acceptance of QTR: 323637 by TÜV SÜD.

Qualification expires: June 2030

Tested and Qualified Thickness and Weight

Products and manufacturing process:	Test Record No.	Tested thickness (mm)	Qualified thickness (mm)	Test piece weight (kg)	Qualified weight (kg)
Strips	25L-0401	12.75	15.04	N/A	N/A



Wingtu Technology Co., Ltd. | Mr. He Huakun | B-100-21007 | Mr. Zhang W...





Drawing No: **M-650-01** / Revision: **01**
 Drawing Code: **01** / Issue: **01** / Date: **2010-01-01** / Project: **010001** / Rev: **01**
 Web page: <http://www.sipgroup.com>
 Reference standard: **NORSOK M-650 edition 4**
 Material location: **010001/010001/010001/010001/010001/010001/010001/010001/010001/010001**

<p>Approved Heat-treatment Procedure: Electric Furnace No. 1775/87, Verification Report of Heat Treatment Procedure QIT/41654/001; The QIT/41654/001 certificate is valid for the heat treatment of the material specified in this report for the application of QIT/41654/001 by TCE/001.</p> <p>Issue Date: June 2010</p> <p>Treated steel: Q355NH, Q355NH, Q355NH, steel 100kg/lot</p>					
Product/Order description	Heat Treatment No.	Treated dimensions (mm)	Heat-treatment Certificate	Heat-treatment result	Heat-treatment weight (kg)
010001	010001	11-22	1775/87	OK	112
<p>Q355NH, Q355NH, Q355NH</p>					
Prepared by: 010001		Checked by: 010001		Signed by: 010001	
<p>Q355NH, Q355NH, Q355NH</p>					

Figure 3 of 2



QTR
Qualification Test Record
NORSOK M-1450

QTR No.: JS-5H-
416998-25-003

Page 66

Project: **JS-5H-416998-25-003**
Contract: **JS-5H-416998-25-003**
Material: **JS-5H-416998-25-003**

Material: **JS-5H-416998-25-003**
Material: **JS-5H-416998-25-003**

Material: **JS-5H-416998-25-003**
Material: **JS-5H-416998-25-003**

Material: **JS-5H-416998-25-003**
Material: **JS-5H-416998-25-003**

Material: **JS-5H-416998-25-003**
Material: **JS-5H-416998-25-003**

Material: **JS-5H-416998-25-003**
Material: **JS-5H-416998-25-003**

Material: **JS-5H-416998-25-003**
Material: **JS-5H-416998-25-003**

Material: **JS-5H-416998-25-003**
Material: **JS-5H-416998-25-003**

Material: **JS-5H-416998-25-003**
Material: **JS-5H-416998-25-003**

Material: **JS-5H-416998-25-003**
Material: **JS-5H-416998-25-003**

Material: **JS-5H-416998-25-003**
Material: **JS-5H-416998-25-003**

Material: **JS-5H-416998-25-003**
Material: **JS-5H-416998-25-003**

Material: **JS-5H-416998-25-003**
Material: **JS-5H-416998-25-003**

Material: **JS-5H-416998-25-003**
Material: **JS-5H-416998-25-003**

PROSJEKTERTING AV KONTAKTUTVIKSEL

Rev. 008

PROSJEKTERTING AV KONTAKTUTVIKSEL

1.0 INNLEDNING OG FORMÅL

1.1 Formål

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1

1.2 Omfang og grenser

1.3 Referanser

1.4 Forklaring av forkortelser